S Ш OUNDAR \Box AKING ш Δ

 \Box

ALWAYS BE WITH YOU





www.baic.co.za | (010) 020 8888



They say that life begins at the end of your comfort zone. You don't believe in comfort zones. You define your

The New B40 PLUS is no different. Creating new adventures, defining new paths and breaking boundaries at every turn. Whether urban or off-road adventure is your vibe, you've found the SUV that allows you to define your own journey and map your own adventure.

MODEL RANGE & LINE-UP

The B40 PLUS range has a range of models to suit your taste. Whether you prefer Petrol or Diesel, Manual or Automatic, you will find a B40 PLUS model to tailor-make your adventure.

MODEL LINE-UP

B40 PLUS / DIESEL

B40 PLUS / PETROL

B40 PLUS / CITY HUNTER DIESEL

B40 PLUS / CITY HUNTER PETROL

B40 PLUS / CHAMPION PETROL

B40 PLUS / CITY HUNTER PETROL 8AT

B40 PLUS / CHAMPION PETROL 8AT











ENGINE

AND PERFORMANCE

Available in 2 litre Petrol Turbo or 2.0 Diesel Turbo, the choice is yours on how you power your adventure. The petrol engine kicks out 160kW @ 5500 r/min while the diesel pushes out 110kW @ 4000 r/min and 350Nm @ 1800 - 2800 r/min. The B40 PLUS is also packed with features that make your drive, on-road or off-road, iconic like Antilock Braking System (ABS), Electronic Brake force Distribution (EBD) and Electronic Parking Brake (EPB) across all models.


The CITY HUNTER & CHAMPION models also include Electronic Stability Programme (ESP), Emergency Brake Assist (EBA), Traction Control System (TCS), Hill Ascent Control (HAC) and Hill Descent Control (HAC). A ground clearance of 210mm, approach angle of 37 degrees and departure angle of 31 degrees means that the B40 PLUS can take on any terrain with ease.



DEPARTURE ANGL

GROUND CLEAR

APPROACH AN





EXTERIOR

STYLING



The styling on the B40 PLUS is bold and unapologetic. This SUV knows how to command attention wherever it goes and is made for drivers that don't accept the norm or mundane.

The dynamic design is complemented by aggressive bumpers, wheel arches and stylish 17" alloy wheels. The bold 5-slot grille is unmistakable and seeks an audience wherever the B40 PLUS finds itself.

The removable roof and panels mean that you can go topless when the mood strikes. The large windows and windscreen make for great visibility, whatever the landscape.



COMFORT & CONVENIENCE

INTERIOR

As amazing as the B40 PLUS is on the outside, the style continues inside this SUV. Far from functional, the style is simple and bold with a host of features to make you feel as good on the inside as you look on the outside.

Dual zone air conditioner, adjustable seats, front and rear and 6-speaker entertainment system with AM/FM/MP5 functionality, Bluetooth and USB port means that you feel and look cool whether you're rocking the city streets or rock-climbing in the great outdoors.








Emission controls Transmission Powertrain management system Rear differential lock Front suspension	DIESEL 110 @ 4000 r/min 350Nm @ 1800 - 2800 r/min Euro IV 6MT	PETROL 160 @ 5500 r/min 320Nm @ 1750 - 4500 r/min Euro IV 6AT . Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	CITY HUNTER DIESEL ENGINE & DRIVETRAIN 110 @4000 r/min 350 Nm @ 1800 - 2800 r/min Euro IV 6MT . Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	CITY HUNTER PETROL 160 @ 5500 r/min 320Nm @ 1750 - 4500 r/min Euro IV 6AT . Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	CITY HUNTER PETROL 8AT 165 @ 5500 r/min 380Nm @1750-4500 r/pm Euro IV 8AT . Double wishbone/helical spring front independent suspension Five-link/helical spring non-independent suspension	CHAMPION PETROL 160 @ 5500 r/min 320Nm @ 1750 - 4500 r/min Euro IV 6AT . Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	CHAMPION PETROL 8AT 165 @ 5500 r/min 380Nm @1750-4500 r/pm Euro IV 8AT . Double wishbone/helical spring front independent suspension									
Maximum torque (Nm @r/min) Emission controls Transmission Powertrain management system Rear differential lock Front suspension Rear suspension Drivetrain Wheel 17"alloy wheels	350Nm @ 1800 - 2800 r/min Euro IV 6MT	320Nm @ 1750 - 4500 r/min Euro IV 6AT	110 @4000 r/min 350 Nm @ 1800 - 2800 r/min Euro IV 6MT . . Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	320Nm @ 1750 - 4500 r/min Euro IV 6AT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	380Nm @1750-4500 r/pm Euro IV 8AT • Double wishbone/helical spring front independent suspension	320Nm @ 1750 - 4500 r/min Euro IV 6AT . Double wishbone/coil spring front independent suspension	380Nm @1750-4500 r/pm Euro IV 8AT • • Double wishbone/helical spring front independent suspension									
Maximum torque (Nm @r/min) Emission controls Transmission Powertrain management system Rear differential lock Front suspension Rear suspension Drivetrain Wheel 17"alloy wheels	350Nm @ 1800 - 2800 r/min Euro IV 6MT	320Nm @ 1750 - 4500 r/min Euro IV 6AT	350 Nm @ 1800 - 2800 r/min Euro IV 6MT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	320Nm @ 1750 - 4500 r/min Euro IV 6AT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	380Nm @1750-4500 r/pm Euro IV 8AT • Double wishbone/helical spring front independent suspension	320Nm @ 1750 - 4500 r/min Euro IV 6AT . Double wishbone/coil spring front independent suspension	380Nm @1750-4500 r/pm Euro IV 8AT • • Double wishbone/helical spring front independent suspension									
Emission controls Transmission Powertrain management system Rear differential lock Front suspension Rear suspension Drivetrain Wheel 17"alloy wheels	Euro IV 6MT • • Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Euro IV 6AT • • Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Euro IV 6MT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	Euro IV 6AT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	Euro IV 8AT • • Double wishbone/helical spring front independent suspension	Euro IV 6AT • • Double wishbone/coil spring front independent suspension	Euro IV 8AT • • Double wishbone/helical spring front independent suspension									
Transmission Powertrain management system Rear differential lock Front suspension Rear suspension n Drivetrain Wheel 17"alloy wheels	6MT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	6AT • Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	6MT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	6AT Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	* Double wishbone/helical spring front independent suspension	6AT • • Double wishbone/coil spring front independent suspension	8AT • • Double wishbone/helical spring front independent suspension									
Powertrain management system Rear differential lock Front suspension Rear suspension Drivetrain Wheel 17"alloy wheels	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	• Double wishbone/helical spring front independent suspension	• Double wishbone/coil spring front independent suspension	• Double wishbone/helical spring front independent suspension									
Rear differential lock Front suspension Rear suspension Drivetrain Wheel 17"alloy wheels	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	• Double wishbone/helical spring front independent suspension	• Double wishbone/coil spring front independent suspension	• Double wishbone/helical spring front independent suspension									
Front suspension fr Rear suspension n Drivetrain Wheel 17"alloy wheels	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension 4WD	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	Double wishbone/coil spring front independent suspension Five-link/coil spring non-independent suspension	Double wishbone/helical spring front independent suspension	Double wishbone/coil spring front independent suspension	Double wishbone/helical spring front independent suspension									
Rear suspension n Drivetrain Wheel 17"alloy wheels	Five-link/coil spring non-independent suspension 4WD	Five-link/coil spring non-independent suspension 4WD	Five-link/coil spring non-independent suspension	Five-link/coil spring non-independent suspension												
Drivetrain Wheel 17"alloy wheels	4WD	4WD			Five-link/helical spring non-independent suspension	Five-link/coil spring	Five-link/helical spring									
Wheel 17"alloy wheels			4WD	4WD		non-independent suspension	Five-link/helical spring non-independent suspension									
17"alloy wheels	265/65 R17			4110	4WD	4WD	4WD									
17"alloy wheels	265/65 R17		WHEELS AND TYRES													
		265/65 R17	265/65 R17	265/65 R17	245/70 R17	265/65 R17	245/70 R17									
Spare tyre	Single Colour	Single Colour	Dual tone	Dual tone	Dual tone	Dual tone	Dual tone									
	Full size	Full size	Full size	Full size	Full size	Full size	Full size									
BODY & STYLING																
Front grille	Silver	Silver	Silver	Silver	Silver	Silver	Silver									
Side step			•		•	•	•									
Removable hard top			•		•	•	•									
Red tow hooks - front and back			•		•	•	•									
Door outside handle	Black	Black	Black	Black	Black	Black	Black									
Rear door outside handle	Black	Black	Black	Black	Black	Black	Black									
Halogen headlights			•	•	•	•	•									
Height adjustable headlights - electric			•		•	•	•									
Front & rear fog lights					•	•										
LED Daytime running lights			•		•	•	•									
Follow me home lights			•		•	•	•									
LED high mount brake light			•		•	•	•									
Outside rear view mirror - electric heated	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome									
INTERIOR, COMFORT & CONVENIENCE																
Cruise control	-	•	-	•	•	•	•									
Dual zone auto air conditioner	•	•	•	•	•	•	•									
Power steering			•		•	•	•									
Multi-function steering wheel	•		•	•	•	Leather	Leather									
Electric windows, front and rear			•		•	•	•									
Anti-glare inside rear view mirror			•	•	•	•	•									
Driver's seat - 4 way adjustable	Manual	Manual	Manual	Manual	Manual	Electric	Electric									
Front passenger seat - 6 way adjustable			•		•	•	•									
Rear seat configuration	60:40 fold, flip	60:40 fold, flip	60:40 fold, flip	60:40 fold, flip	60:40 fold, flip	60:40 fold, flip	60:40 fold, flip									
Rear seat recline function			•	•	•	•	•									
Rear center armrest & cupholder			•		•	•	•									

B40 PLUS	DIESEL	PETROL	CITY HUNTER DIESEL	CITY HUNTER PETROL	CITY HUNTER PETROL 8AT	CHAMPION PETROL	CHAMPION PETROL 8AT					
		INTERIOR, CO	DMFORT & CONVENIENCE									
AM/FM radio / MP5												
6 speakers		•	•									
Bluetooth												
Auxiliary & USB functionality												
SAFETY & SECURITY												
Anti-lock Braking System (ABS)			•									
Electronic Brake force distribution (EBD)		•	•	•	•	•						
Electronic Stability Programme (ESP)	-	-	•	•								
Emergency Brake Assist (EBA)	-	-	•									
Traction Control System (TCS)	-	-	•	•	•							
Hill Ascent Control (HAC)	-	-	•	•	•							
Hill Descent Control (HDC)	-	-	•	•	•							
Electronic Parking Brake (EPB)		•	•	•	•							
ISO-FIX child seat restraint system		•	•	•	•							
Child safety lock		•	•	•	•							
Front 3-point safety belts with pre-tensioners		•	•	•								
Driver airbag		•	•	•								
Front passenger airbag		•	•	•								
Tyre Pressure Monitor System (TPMS)		•	•	•	•	•						
Parking sensors rear		•	•	•	•	•						
Reverse camera system		•	•	•	•	•						
Alarm		•	•	•	•	•						
Immobiliser		•	•	•	•	•						
Central locking		•	•	•	•	•	•					
		DIMENS	SIONS & CAPACITIES									
Length (mm)	4645	4645	4645	4645	4645	4645	4645					
Width (mm)	1925	1925	1925	1925	1925	1925	1925					
Height (mm)	1871	1871	1871	1871	1871	1871	1871					
Wheelbase (mm)	2745	2745	2745	2745	2745	2745	2745					
Fuel tank capacity (L)	75	75	75	75	75	75	75					
Curb weight (kg)	2140	2110	2140	2110	2110	2110	2110					
Gross Vehicle Mass/GV< (kg)	2565	2535	2565	2535	2535	2535	2535					
Approach angle (degrees)	37	37	37	37	37	37	37					
Departure angle (degrees)	31	31	31	31	31	31	31					
Rampover angle (degrees)	23	23	23	23	23	23	23					
Ground clearance (mm)	210	210	210	210	210	210	210					
Luggage capacity (litres) *seats down	532/965*	532/965*	532/965*	532/965*	532/965*	532/965*	532/965*					
		SERV	ICE & WARRANTY									
5-year/120 000 km Warranty	•	•	•	•	•	•	•					
4-year/60 000km Service plan	Optional	Optional	Optional	Optional	Optional	Optional	Optional					
Service intervals (km)	15 000 / 12 months	15 000 / 12 months	15 000 / 12 months	15 000 / 12 months	15 000 / 12 months	15 000 / 12 months	15 000 / 12 months					





AVAILABLE COLOURS







brochure in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law.